

SAFETY DATA SHEET

Engine Performance booster

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: Engine Performance booster

Product no.: 907007

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Lubricant

Use descriptors (UK REACH):

Product

PC 24 Lubricants, Greases and Release Products

Uses advised against : None known.

1.3. Details of the supplier of the safety data sheet

Company and address: Rymax Lubricants

Delweg 8

6902 PJ Zevenaar The Netherlands +31 (0) 316 740 856

www.rymax-lubricants.com Product Safety Department info@rymax-lubricants.com

Revision: 20/07/2023

SDS Version: 1.0

1.4. Emergency telephone number

Contact person:

E-mail:

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.


2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s):Not applicable.Signal word:Not applicable.Hazard statement(s):Not applicable.

Precautionary statement(s):





General:

Prevention: -

Response: -

Storage: -

Disposal: - Hazardous substances: None known.

Additional labelling: EUH210, Safety data sheet available on

request.

2.3. Other hazards

Additional warnings: This mixture/product does not contain any

substances considered to meet the criteria classifying them as PBT and/or vPvB. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	CAS No.: 64742-54-7 EC No.: 265-157-1 UK-REACH: Index No.: 649-467-00-8	40-60%	Asp. Tox. 1, H304	[12]
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	CAS No.: 68784-26-9 EC No.: 272-234-3 UK-REACH: Index No.:	1-3%	Aquatic Chronic 4, H413	[19]

Engine Performance booster Page 2 of 12



Bis(nonylphenyl)amine	CAS No.: 36878-20-3	1-3%	Aquatic Chronic 4, H413	
	EC No.: 253-249-4			
	UK-REACH:			
	Index No.:			

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[12] The classification as a carcinogen will not be taken into account as the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method' (CLP, Annex VI, note L).

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information: In the case of accident: Contact a doctor or

casualty department – take the label or this

safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist.

Never give an unconscious person water or

other drink.

Inhalation: Upon breathing difficulties or irritation of the

respiratory tract: Bring the person into fresh

air and stay with him/her.

Skin contact: Upon irritation: rinse with water. In the event

of continued irritation, seek medical

assistance.

Eye contact: If in eyes: Flush eyes with water or saline

water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during

transport.

Ingestion: If the person is conscious, rinse the mouth

with water and stay with the person. Never

give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking

on vomited material.

Burns: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Engine Performance booster



None known.

4.3. Indication of any immediate medical attention and special treatment needed None known.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures No specific requirements.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Keep only in original packaging.

Storage temperature: Dry, cool and well ventilated

Store out of direct sunlight.



Incompatible materials: Strong acids, strong bases, strong oxidizing

agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

No data available.

PNEC

No data available.

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations: Smoking, drinking and consumption of food

is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios

implemented for this product.

Exposure limits: Occupational exposure limits have not been

defined for the substances in this product.

Appropriate technical measures: Apply standard precautions during use of the

product. Avoid inhalation of vapours.

Hygiene measures: In between use of the product and at the end

of the working day all exposed areas of the body must be washed thoroughly. Always

wash hands, forearms and face.

Measures to avoid environmental exposure: No specific requirements.

Individual protection measures, such as personal protective equipment

Generally: Use only UKCA marked protective equipment.

Respiratory Equipment:

Туре	Class	Colour	Standards	
No special when used as intended.				

Skin protection:

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	R

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0,38	> 240	EN374-2, EN374-3, EN388	

Eye protection:



Туре	Standards	
Safety glasses with side shields.	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: Gold, golden
Odour / Odour threshold: Characteristic

pH: Testing not relevant or not possible due to

the nature of the product.

Density (g/cm³): 0.877

Kinematic viscosity: 80 mm²/s (40 °C)

Particle characteristics: Not applicable - product is a liquid

Phase changes

Melting point/Freezing point (°C):

Testing not relevant or not possible due to

the nature of the product.

Softening point/range (waxes and pastes) (°C): Does not apply to liquids.

Boiling point (°C): Testing not relevant or not possible due to

the nature of the product.

Vapour pressure: Testing not relevant or not possible due to

the nature of the product.

Relative vapour density:

Testing not relevant or not possible due to

the nature of the product.

Decomposition temperature (°C): Testing not relevant or not possible due to

the nature of the product.

Data on fire and explosion hazards

Flash point (°C): Testing not relevant or not possible due to

the nature of the product.

Flammability (°C): Testing not relevant or not possible due to

the nature of the product.

Auto-ignition temperature (°C): Testing not relevant or not possible due to

the nature of the product.

Lower and upper explosion limit (% v/v): Testing not relevant or not possible due to

the nature of the product.

Solubility

Solubility in water: Insoluble

n-octanol/water coefficient: Testing not relevant or not possible due to

the nature of the product.

Solubility in fat (g/L): Testing not relevant or not possible due to

the nature of the product.

9.2. Other information



Oxidizing properties: Testing not relevant or not possible due to

the nature of the product.

Other physical and chemical parameters: No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Test:

Product/substance Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified; [A

complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large

proportion of saturated hydrocarbons.]

Species: Rat Route of exposure: Oral

Result: >5000 mg/kgbw

LD50

Product/substance Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified; [A

complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large

proportion of saturated hydrocarbons.]


Species: Rabbit
Route of exposure: Dermal
Test: LD50

Result: >5000 mg/kg

Product/substance Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified; [A

complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large

proportion of saturated hydrocarbons.]





Species: Rat Route of exposure: Inhalation

Test: LC50 Result: 5,53 mg/L

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Product/substance Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified; [A

complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large

proportion of saturated hydrocarbons.]

Species: Rat Route of exposure: Oral

Target organ:

Duration: 90 days Test: LOAEL

Result: 125 mg/kgbw

Conclusion:

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

Not applicable.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity





Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified; [A Product/substance

> complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large

proportion of saturated hydrocarbons.]

Species:

Fish, Pimephales promelas

Duration:

Test: LC50 >100 mg/L Result:

Product/substance Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified; [A

> complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large

proportion of saturated hydrocarbons.]

Crustacean, Daphnia magna

Species:

Duration:

EC50

Test: Result: >10000 mg/L

Product/substance Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified; [A

complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large

proportion of saturated hydrocarbons.]

Species:

Duration:

Fish, Oncorhynchus mykiss

NOEC Test: Result: 1000 mg/L

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified; [A Product/substance

> complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large

proportion of saturated hydrocarbons.]

Species:

Crustacean, Daphnia magna

Duration:

Test: NOEC Result: 10 mg/L

Product/substance Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified; [A

> complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large

proportion of saturated hydrocarbons.

Species:

Algae, Pseudokirchneriella subcapitata

Duration:

Test: NOFC Result: >100 mg/L

12.2. Persistence and degradability



Product/substance Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified; [A

complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large

proportion of saturated hydrocarbons.]

Biodegradable: No

Test method: OECD 301 F Result: 31% 28 days

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

Not applicable.

12.7. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

		14.2 UN proper shipping name	14.3 Hazard class(es)			Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

^{**} Environmental hazards



No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: No special.

Demands for specific education:

No specific requirements.

SEVESO - Categories / dangerous substances: Not applicable.

Additional information: Not applicable.

Sources: Regulation (EU) No 1357/2014 of 18

December 2014 on waste as retained and

amended in UK law.

Regulation (EC) No 1272/2008 on

classification, labelling and packaging of substances and mixtures (CLP) as retained

and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained

and amended in UK law.

15.2. Chemical safety assessment

Nο

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H304, May be fatal if swallowed and enters airways.

H413, May cause long lasting harmful effects to aquatic life.

The full text of identified uses as mentioned in section 1

PC 24 = Lubricants, Greases and Release Products

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals



IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable.

The safety data sheet is validated by

Product Safety Department

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en