

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 5/9/2014 Revision date: 12/13/2022 Supersedes version of: 6/7/2021 Version: 3.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : LUB009003 - Rymax Vector 3

Product code : LUB009003

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Industrial use, Professional use, Consumer use

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Rymax Lubricants B.V.

Delweg, 8

NL- 6902 PJ Zevenaar - Netherlands

Netherlands

T tel: +31 (0) 316 740 856

info@rymax-lubricants.com - www.rymax-lubricants.com

#### 1.4. Emergency telephone number

Emergency number : +31 (0) 316 740 856

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

## Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read carefully and follow all instructions.

EUH-statements : EUH208 - Contains dihydro-3-(tetrapropenyl)furan-2,5-dione(26544-38-7). May produce an

allergic reaction.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,2'-oxydiethanol	CAS-No.: 111-46-6 EC-No.: 203-872-2 EC Index-No.: 603-140-00-6 REACH-no: 01-2119457857- 21	≥ 10 – < 25	Acute Tox. 4 (Oral), H302
2-(2-(2-butoxyethoxy)ethoxy)ethanol	CAS-No.: 143-22-6 EC-No.: 205-592-6 EC Index-No.: 603-183-00-0 REACH-no: 01-2119475107-	≥ 10 – < 25	Eye Dam. 1, H318
2-(2-methoxyethoxy)ethanol substance with national workplace exposure limit(s) (AT, BE, DE, DK, ES, FI, FR, GB, NL, PL, SE, NO); substance with a Community workplace exposure limit	CAS-No.: 111-77-3 EC-No.: 203-906-6 EC Index-No.: 603-107-00-6 REACH-no: 01-2119475100- 52	≥1-<3	Repr. 1B, H360D
dihydro-3-(tetrapropenyl)furan-2,5-dione	CAS-No.: 26544-38-7 EC-No.: 247-781-6 REACH-no: 01-2119979080- 37	< 0.1	Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 4, H413

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
2-(2-(2-butoxyethoxy)ethoxy)ethanol	CAS-No.: 143-22-6 EC-No.: 205-592-6 EC Index-No.: 603-183-00-0 REACH-no: 01-2119475107-	( 20 ≤C < 30) Eye Irrit. 2, H319 ( 30 ≤C < 100) Eye Dam. 1, H318	
2-(2-methoxyethoxy)ethanol	CAS-No.: 111-77-3 EC-No.: 203-906-6 EC Index-No.: 603-107-00-6 REACH-no: 01-2119475100- 52	( 3 ≤C ≤ 100) Repr. 1B, H360D	
dihydro-3-(tetrapropenyl)furan-2,5-dione	CAS-No.: 26544-38-7 EC-No.: 247-781-6 REACH-no: 01-2119979080- 37	( 0.2 ≤C < 100) Skin Sens. 1A, H317	

Full text of H- and EUH-statements: see section 16

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Precautionary measures fire : Do not enter fire area without proper protective equipment, including respiratory protection.

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Other information : Do not allow run-off from fire-fighting to enter drains or water courses.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid spilling the product, as this might cause falls.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : For large spills, confine the spill in a dike and charge it with wet sand or earth for

subsequent safe disposal.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

12/13/2022 (Revision date) GB - en 3/13

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Handling temperature : ≤ 40 °C

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible products : Oxidizing agent. Strong acids.

Maximum storage period : 2 year Storage temperature :  $\leq$  40 °C

Storage area : Store at ambient temperature.

Special rules on packaging : Store in a closed container.

#### 7.3. Specific end use(s)

brake fluids.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

2-(2-methoxyethoxy)ethanol (111-77-3)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	50.1 mg/m³	
WEL TWA (OEL TWA) [2]	10 ppm	

#### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

## Eye protection:

Safety glasses

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	>0.35		EN ISO 374

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Yellow. Odour odourless. Odour threshold : Not available : < -50 °C Melting point : Not available Freezing point : > 230 °C Boiling point Flammability : Non flammable. **Explosive limits** : Not available : 0.6 vol % Lower explosion limit Upper explosion limit : 7 vol % : 110 °C Flash point Auto-ignition temperature : > 324 °C Decomposition temperature : Not available рΗ : 7 – 11.5

Viscosity, kinematic : 7.5 mm²/s @ 40°C Solubility : soluble in water.

Partition coefficient n-octanol/water (Log Kow) : Not available

Partition coefficient n-octanol/water (Log Pow) : < 2
Vapour pressure : < 2 hPa
Vapour pressure at 50°C : Not available
Density : 1.035 – 1.045 kg/l
Relative density : Not available

Relative vapour density at 20°C : > 1

Particle characteristics : Not applicable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : < 0.1

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

riodio tomony (mindianom)	. Not diagoniou	
LUB009003 - Rymax Vector 3		
LD50 oral (rat)	2630 mg/kg	
LD50 dermal (rabbit)	3540 mg/kg	
2-(2-(2-butoxyethoxy)ethoxy)ethanol (143-22-6)		
LD50 oral (rat)	> 5170 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)	
LD50 dermal (rabbit)	3540 mg/kg bodyweight Animal: rabbit, Animal sex: male, 95% CL: 1050 - 11800	
2,2'-oxydiethanol (111-46-6)		
LD50 oral (rat)	19600 mg/kg	
LD50 dermal (rabbit)	11890 mg/kg	
LC50 inhalation (rat) (mg/l)	> 4.6 mg/l/4h	
2-(2-methoxyethoxy)ethanol (111-77-3)		
LD50 dermal (rabbit)	9404 mg/kg Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute	

Dermal Toxicity), 95% CL: 6696 - 13212

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878			
dihydro-3-(tetrapropenyl)furan-2,5-dione (26	544-38-7)		
LD50 oral (rat)	2900 mg/kg		
LD50 dermal (rabbit)	6200 – 7500 mg/kg		
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	5.3 mg/l/4h		
Skin corrosion/irritation	: Not classified		
	pH: 7 – 11.5		
2-(2-(2-butoxyethoxy)ethoxy)ethanol (143-22	-6)		
рН	7 Temp.: 20 °C		
Serious eye damage/irritation	: Not classified pH: 7 – 11.5		
2-(2-(2-butoxyethoxy)ethoxy)ethanol (143-22	:-6)		
рН	7 Temp.: 20 °C		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
2,2'-oxydiethanol (111-46-6)			
NOAEL (chronic, oral, animal/male, 2 years)	1210 mg/kg bodyweight Animal: rat, Animal sex: male		
NOAEL (chronic, oral, animal/female, 2 years)	1160 mg/kg bodyweight Animal: rat, Animal sex: female		
Reproductive toxicity	: Not classified		
STOT-single exposure STOT-repeated exposure	: Not classified : Not classified		
2-(2-(2-butoxyethoxy)ethoxy)ethanol (143-22			
NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight/day Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)		
2,2'-oxydiethanol (111-46-6)			
LOAEL (oral, rat, 90 days)	40000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)		
2-(2-methoxyethoxy)ethanol (111-77-3)			
LOAEL (oral, rat, 90 days)	1800 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)		
NOAEL (oral, rat, 90 days)	900 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Remarks on results: other:		
NOAEC (inhalation, rat, vapour, 90 days)	> 1.06 mg/l Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)		
Aspiration hazard	Not classified		
LUB009003 - Rymax Vector 3			
Viscosity, kinematic	7.5 mm²/s @ 40°C		
2-(2-(2-butoxyethoxy)ethoxy)ethanol (143-22	:-6)		
Viscosity, kinematic	9.2 mm²/s Temp.: 'other:25.0°C' Parameter: 'kinematic viscosity (in mm²/s)'		
2-(2-methoxyethoxy)ethanol (111-77-3)			
Viscosity, kinematic	3.9 mm²/s		
dihydro-3-(tetrapropenyl)furan-2,5-dione (26	dihydro-3-(tetrapropenyl)furan-2,5-dione (26544-38-7)		
Viscosity, kinematic	0.428 mm²/s		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

: Not classified

Hazardous to the aquatic environment, short–term

acute)

Hazardous to the aquatic environment, long–term : Not classified

(chronic)

Not rapidly degradable

vot rapidity degradable		
> 1800 mg/l Scophthalmus maximus		
> 3200 mg/l Daphnia magna		
2-(2-(2-butoxyethoxy)ethoxy)ethanol (143-22-6)		
75200 mg/l Pimephales promelas		
> 500 mg/l Daphnia magna		
780 mg/l Pseudokirchneriella subcapitata		
> 100 mg/l Daphnia magna (21d)		
> 100 mg/l Pseudokirchneriella subcapitata		
75200 mg/l Test organisms (species): Pimephales promelas		
> 3200 mg/l Daphnia magna		
1054 mg/l Scenedesmus subspicatus		
6500 – 13000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
9362 mg/l Test organisms (species): other:		
≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'		
≥ 1000 mg/l Americamysis bahia (23d)		
5741 mg/l Pimephales promelas		
1192 mg/l Daphnia magna		
> 1000 mg/l Skeletonema costatum		
dihydro-3-(tetrapropenyl)furan-2,5-dione (26544-38-7)		
> 100 mg/l Oncorhynchus mykiss		
> 100 mg/l Daphnia magna		
<u> </u>		
160 mg/l Pseudokirchneriella subcapitata		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.2. Persistence and degradability

,		
LUB009003 - Rymax Vector 3		
Persistence and degradability	Not readily biodegradable.	
2-(2-(2-butoxyethoxy)ethoxy)ethanol (143-22-6)		
Biodegradation	68 % 14d	
2,2'-oxydiethanol (111-46-6)		
Biochemical oxygen demand (BOD)	0.02 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	1.51 g O₂/g substance	
BOD (% of ThOD)	0.015 % ThOD	
Biodegradation	90 % 28d	
2-(2-methoxyethoxy)ethanol (111-77-3)		
Biodegradation	100 % 28d	
dihydro-3-(tetrapropenyl)furan-2,5-dione (26544-38-7)		
Biodegradation	9.9 %	

## 12.3. Bioaccumulative potential

LUB009003 - Rymax Vector 3		
Partition coefficient n-octanol/water (Log Pow)	< 2	
2-(2-(2-butoxyethoxy)ethoxy)ethanol (143-22-6)		
Bioconcentration factor (BCF REACH)	3	
Partition coefficient n-octanol/water (Log Pow)	0.51	
2,2'-oxydiethanol (111-46-6)		
BCF - Fish [1]	100	
Bioconcentration factor (BCF REACH)	100	
Partition coefficient n-octanol/water (Log Pow)	-1.98	
2-(2-methoxyethoxy)ethanol (111-77-3)		
Bioconcentration factor (BCF REACH)	3	
Partition coefficient n-octanol/water (Log Pow)	-1.18	

## 12.4. Mobility in soil

LUB009003 - Rymax Vector 3		
Mobility in soil	0.061	
2,2'-oxydiethanol (111-46-6)		
Surface tension	0.0485 N/m	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0	
2-(2-methoxyethoxy)ethanol (111-77-3)		
Surface tension	0.0359 N/m	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods HP Code

- $: \ \, \text{Dispose of contents/container in accordance with licensed collector's sorting instructions}.$
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

lot regulated lot regulated	Not regulated  Not regulated	Not regulated  Not regulated	Not regulated  Not regulated
lot regulated	Not regulated		
)	<u> </u>	Not regulated	Not regulated
)	<u> </u>	Not regulated	Not regulated
let regulated			
lot regulated	Not regulated	Not regulated	Not regulated
·			
lot regulated	Not regulated	Not regulated	Not regulated
lot regulated	Not regulated	Not regulated	Not regulated
	lot regulated lot regulated	lot regulated Not regulated	lot regulated Not regulated Not regulated

## 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

## Inland waterway transport

Not regulated

#### Rail transport

Not regulated

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(b)	2-(2-(2- butoxyethoxy)ethoxy)etha nol; 2,2'-oxydiethanol; 2- (2-methoxyethoxy)ethanol; dihydro-3- (tetrapropenyl)furan-2,5- dione	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	dihydro-3- (tetrapropenyl)furan-2,5- dione	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
54.	2-(2- methoxyethoxy)ethanol	2-(2-methoxyethoxy)ethanol (DEGME)	

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4	
EUH208	Contains dihydro-3-(tetrapropenyl)furan-2,5-dione(26544-38-7). May produce an allergic reaction.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H360D	May damage the unborn child.	
H413	May cause long lasting harmful effects to aquatic life.	
Repr. 1B	Reproductive toxicity, Category 1B	
Skin Sens. 1A	Skin sensitisation, category 1A	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU RYMAX 2023

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.