

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 8/1/2018 Revision date: 2/10/2023 Supersedes version of: 11/26/2020 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : LUB002087 - Rymax Posidon XR 0W-40

Product code : LUB002087

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Industrial use, Professional use, Consumer use

Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Rymax Lubricants B.V.

Delweg, 8

NL- 6902 PJ Zevenaar - Netherlands

Netherlands

T tel: +31 (0) 316 740 856

info@rymax-lubricants.com - www.rymax-lubricants.com

1.4. Emergency telephone number

Emergency number : +31 (0) 316 740 856

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated	CAS-No.: 163149-28-8 EC-No.: 605-315-2	< 55	Asp. Tox. 1, H304
1-Dodecene, polymer with 1-decene, hydrogenated	CAS-No.: 151006-60-9 EC-No.: 604-767-8	< 55	Asp. Tox. 1, H304
1-Decene,homopolymer,hydrogenated substance with national workplace exposure limit(s) (BG)	CAS-No.: 68037-01-4 EC-No.: 500-183-1 REACH-no: 01-2119486452- 34	< 55	Asp. Tox. 1, H304
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based substance with national workplace exposure limit(s) (BE, BG, CZ, DK, ES, FI, GR, HU, IE, LT, LV, NL, PL, PT, SE, SK, IS, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 72623-86-0 EC-No.: 276-737-9 EC Index-No.: 649-482-00-X REACH-no: 01-2119474878-	≥ 15 - < 25	Asp. Tox. 1, H304
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil substance with a Community workplace exposure limit	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889- 13	≥ 5 – < 10	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≥1-<5	Not classified
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33	≥ 0.3 – < 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Distillates (petroleum), solvent-dewaxed heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27	≥ 0.1 – < 3	Not classified
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil	CAS-No.: 64742-70-7 EC-No.: 265-174-4 EC Index-No.: 649-477-00-2 REACH-no: 01-2119487080-	≥ 0.1 – < 3	Asp. Tox. 1, H304

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), solvent-dewaxed light paraffinic substance with national workplace exposure limit(s) (BE, BG, CZ, DK, ES, FI, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 64742-56-9 EC-No.: 265-159-2 EC Index-No.: 649-469-00-9 REACH-no: 01-2119480132-	≥ 0.1 – < 3	Asp. Tox. 1, H304

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33	(6.25 ≤C < 100) Skin Irrit. 2, H315 (10 ≤C < 12.5) Eye Irrit. 2, H319 (12.5 ≤C < 100) Eye Dam. 1, H318	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Ensure good ventilation of the work station. Wear

personal protective equipment.

Handling temperature : ≤ 40 °C

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation.

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : ≤ 40 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Keep only in original container. Store in a closed container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1] 5 mg/m³		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		

United Kingdom - Occupational Exposure Limits

WEL TWA (OEL TWA) [1] 5 mg/m³

2/10/2023 (Revision date) GB - en 4/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)

WEL STEL (OEL STEL) 10 mg/m³

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	6 (> 480 minutes)	>0.35		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state · Liquid Colour : Not available Odour : Not available Odour threshold : Not available Melting point : Not applicable Freezing point : -48 °C (ASTM D7346) Boiling point Not available Flammability : Non flammable. Explosive limits : Not available Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : > 201 °C (ASTM D92)

Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : Not available
the Not available

Viscosity, kinematic : 80 mm²/s @ 40°C (ASTM D7042)

Solubility : insoluble in water.

Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : Not available

Vapour pressure at 50°C : Not available

Density : 844 kg/m³ @ 15°C (ASTM D4052)

Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) Acute toxicity (inhalation)	Not classifiedNot classified			
Distillates (petroleum), hydrotreated heavy				
LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test			
LD50 dermal (rabbit)	> 2000 mg/kg 402 Acute Dermal Toxicity Test			
LC50 inhalation (rat) (mg/l)	> 5000 mg/l/4h			
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test			
1-Decene,homopolymer,hydrogenated (680)	37-01-4)			
LD50 oral (rat)	5000 mg/kg			
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	5.2 mg/l/4h			
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)	yl)} bis dithiophosphate) (93819-94-4)			
LD50 oral (rat)	2600 mg/kg bw/day Tested according to Annex V of Directive 67/548/EEC			
LD50 dermal (rabbit)	> 3160 mg/kg bodyweight OECD Test Guideline 402			
LC50 inhalation (rat) (mg/l)	> 2 mg/l (1h) - OECD403			
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)				
LD50 oral (rat)	> 5000 mg/kg			
LD50 dermal (rabbit)	> 2000 mg/kg			
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h			
Lubricating oils (petroleum), C15-30, hydrot	reated neutral oil-based (72623-86-0)			
LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test			
LD50 dermal (rabbit)	> 5000 mg/kg 402 Acute Dermal Toxicity Test			
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test			
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)				
LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test			
LD50 dermal (rabbit)	> 5000 mg/kg 402 Acute Dermal Toxicity Test			
LC50 inhalation (rat) (Vapours - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test			
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil (64742-70-7)				
LD50 oral (rat)	> 5000 mg/kg			
LD50 dermal (rabbit)	> 2000 mg/kg			

LD50 dermal (rabbit) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 5 mg/l/4h

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)		
LD50 oral (rat)	> 5000 mg/kg bodyweight	
LD50 dermal (rat)	> 5000 mg/kg	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LC50 inhalation (rat) (Vapours - mgi/4h) > 2.18 mgi/4h Sinc correspondintation Not classified	according to the REACH Regulation (EC) 1907/2000 amended	· · · · · · · · · · · · · · · · · · ·			
Skin comosion/irritation : Not classified Serious yes damage/irritation : Not classified Respiratory or skin sensifisation : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified Richard School (1997) : Not classified Richard School (1997) : Not classified StoTo-single exposure : Not class	Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)				
Serious eye damageliriritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Remoration to book of the state of	LC50 inhalation (rat) (Vapours - mg/l/4h)	> 2.18 mg/l/4h			
Respiratory or skin sensitisation cerm cell mutagenicity	Skin corrosion/irritation :	Not classified			
Garm cell mutagenicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified STOT-snigle exposure : Not classified STOT-snigle exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat. 90 days) 125 mg/kg bodyweight Animal: rat. Animal sex: male. Guideline: OECD Guideline 408 1-Decene,homopolymer,hydrogenated (68037-01-4) NOAEL (oral, rat. 90 days) 4159 4 mg/kg bodyweight/day NOAEL (oral, rat. 90 days) 6245 mg/kg bodyweight Distillates (petroleum), by the control of t	Serious eye damage/irritation :	Not classified			
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-pated (58037-01-4) LOAEL (oral, rat, 90 days)	Respiratory or skin sensitisation :	Not classified			
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single (cert ret. 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 1-Decene, homopolymer, hydrogenated (68037-01-4) NOAEL (cral, rat, 90 days) 4159.4 mg/kg bodyweight day NOAEL (cral, rat, 90 days) 4159.4 mg/kg bodyweight NOAEL (cral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (cral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) NOAEL (cral, rat, 90 days) 125 mg/kg bodyweight May NOAEL (cral, rat, 90 days) 125 mg/kg bodyweight NOAEL (cral, rat, 90 days)	Germ cell mutagenicity :	Not classified			
STOT-repeated exposure	Carcinogenicity :	Not classified			
STOT-repeated exposure Stot classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 1-Decene, homopolymer, hydrogenated (68037-01-4) NOAEL (oral, rat, 90 days) A159.4 mg/kg bodyweight/day NOAEL (subacute, oral, animal/male, 28 days) 6245 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Mary Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Not classified LUB00287 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (183149-28-8) Viscosity, kinematic 1-17.5 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 5.1 mm²/s @40°C Cinc bis(O-(6-methylheptyl)) bis (O(sec-butyl)) bis dithiophosphate) (93819-94-4)	Reproductive toxicity :	Not classified			
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 1-Decene, homopolymer, hydrogenated (68037-01-4) NOAEL (oral, rat, 90 days) NOAEL (strat, rat, 90 days) 16245 mg/kg bodyweight/day NOAEL (strat, rat, 90 days) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic (64742-65-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Rodents) Aspiration hazard Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic 5.1 mm²/s @ 40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @ 40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 5.1 mm²/s @ 40°C Line bis(O-(6-methylheptyl)) bis (O(sec-butyl)) bis dithiophosphate) (93819-94-4)	STOT-single exposure :	Not classified			
LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 1-Decene,homopolymer,hydrogenated (68037-01-4) NOAEL (oral, rat, 90 days) NOAEL (subacute, oral, animal/male, 28 days) 160 mg/kg bodyweight (3819-94-4) NOAEL (oral, rat, 90 days) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (3819-38-4) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-55-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic 98 (98 – 108) mm²/s @ 40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 5.1 mm²/s @ 40°C LDecene, homopolymer, hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @ 40°C Locene, homopolymer, hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @ 40°C Locene, homopolymer, hydrogenated (68037-01-4) Viscosity, kinematic 1-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-	STOT-repeated exposure :	Not classified			
1-Decene,homopolymer,hydrogenated (68037-01-4) NOAEL (oral, rat, 90 days) 4159.4 mg/kg bodyweight/day NOAEL (subacute, oral, animal/male, 28 days) 6245 mg/kg bodyweight Zinc bis{O-(6-methylheptyl)) bis (O(sec-butyl)) bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline- OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (84742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight (94742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Napiration hazard : Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic 5.1 mm²/s @ 40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @ 40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @ 40°C L-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @ 40°C Zinc bis{O-(6-methylheptyl)} bis (O(sec-butyl)) bis dithiophosphate) (93819-94-4)	Distillates (petroleum), hydrotreated heavy pa	rraffinic (64742-54-7)			
NOAEL (oral, rat, 90 days) NOAEL (subacute, oral, animal/male, 28 days) Example 16245 mg/kg bodyweight (subacute, oral, animal/male, 28 days) NOAEL (oral, rat, 90 days) Info mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-65-0) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-65-0) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-65-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S4742-56-3) LOAEL (oral, rat, 90 days) Info mg/kg bodyweight (S	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408			
NOAEL (subacute, oral, animal/male, 28 days) Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic (64742-65-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic (64742-65-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard: Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (88 – 108) mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	1-Decene,homopolymer,hydrogenated (68037	-01-4)			
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic (64742-65-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic \$1.1 mm²/s @ 40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 - 108) mm²/s @ 40°C 1-Decene, homopolymer, hydrogenated (68037-01-4) Viscosity, kinematic 98 (98 - 108) mm²/s @ 40°C Zinc bis{O-(6-methylheptyl)} bis d(O(sec-butyl)) bis dithiophosphate) (93819-94-4)	NOAEL (oral, rat, 90 days)	4159.4 mg/kg bodyweight/day			
NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic \$1.1 mm²/s @40°C 1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic \$5.1 mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic \$5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	NOAEL (subacute, oral, animal/male, 28 days)	6245 mg/kg bodyweight			
Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LOAEL (oral, rat, 90 days) Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic \$1.7.5 mm²/s @40°C 1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic \$1.1 mm²/s @40°C 1-Decene, homopolymer, hydrogenated (68037-01-4) Viscosity, kinematic \$1.1 mm²/s @40°C LIne bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)	} bis dithiophosphate) (93819-94-4)			
LOAEL (oral, rat, 90 days) Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LOAEL (oral, rat, 90 days) Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic ≈ 17.5 mm²/s @40°C 1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C 1-Decene, homopolymer, hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	NOAEL (oral, rat, 90 days)				
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic = 17.5 mm²/s @40°C 1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic 5.1 mm²/s @40°C 1-Decene, homopolymer, hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C 2Inc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	Lubricating oils (petroleum), C20-50, hydrotre	ated neutral oil (72623-87-1)			
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard: Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic 217.5 mm²/s @40°C 1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day			
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard 1 Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic 2 17.5 mm²/s @40°C 1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	Lubricating oils (petroleum), C15-30, hydrotre	ated neutral oil-based (72623-86-0)			
LOAEL (oral, rat, 90 days) Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic ≈ 17.5 mm²/s @40°C 1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 − 108) mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight			
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic ≈ 17.5 mm²/s @40°C 1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 − 108) mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)			
LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard: Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic: 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic: ≈ 17.5 mm²/s @40°C 1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic: 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic: 98 (98 – 108) mm²/s @40°C 1-Decene, homopolymer, hydrogenated (68037-01-4) Viscosity, kinematic: 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight			
Rodents) Aspiration hazard : Not classified LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic ≈ 17.5 mm²/s @40°C 1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	Distillates (petroleum), solvent-dewaxed light	paraffinic (64742-56-9)			
LUB002087 - Rymax Posidon XR 0W-40 Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic ≈ 17.5 mm²/s @40°C 1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	LOAEL (oral, rat, 90 days)	\ \ \			
Viscosity, kinematic 80 mm²/s @ 40°C (ASTM D7042) 1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic ≈ 17.5 mm²/s @40°C 1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 − 108) mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	Aspiration hazard :	Not classified			
1-Dodecene, polymer with 1-decene and 1-octene, hydrogenated (163149-28-8) Viscosity, kinematic ≈ 17.5 mm²/s @40°C 1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 − 108) mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	LUB002087 - Rymax Posidon XR 0W-40				
Viscosity, kinematic ≈ 17.5 mm²/s @40°C 1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	Viscosity, kinematic	80 mm²/s @ 40°C (ASTM D7042)			
1-Dodecene, polymer with 1-decene, hydrogenated (151006-60-9) Viscosity, kinematic 5.1 mm²/s @40°C Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	1-Dodecene, polymer with 1-decene and 1-oct	tene, hydrogenated (163149-28-8)			
Viscosity, kinematic Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	Viscosity, kinematic	≈ 17.5 mm²/s @40°C			
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Viscosity, kinematic 98 (98 – 108) mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	1-Dodecene, polymer with 1-decene, hydroge	nated (151006-60-9)			
Viscosity, kinematic 98 (98 – 108) mm²/s @40°C 1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	Viscosity, kinematic	5.1 mm²/s @40°C			
1-Decene,homopolymer,hydrogenated (68037-01-4) Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)				
Viscosity, kinematic 5.1 mm²/s @40°C Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	Viscosity, kinematic	98 (98 – 108) mm²/s @40°C			
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)	1-Decene,homopolymer,hydrogenated (68037	1-Decene,homopolymer,hydrogenated (68037-01-4)			
	Viscosity, kinematic	5.1 mm²/s @40°C			
Viscosity, kinematic 3050 mm²/s @40°C	Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)				
	Viscosity, kinematic	3050 mm²/s @40°C			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)		
/iscosity, kinematic 47 mm²/s		
Lubricating oils (petroleum), C15-30, hydrotre	ated neutral oil-based (72623-86-0)	
Viscosity, kinematic	1.99 – 847 mm²/s 40°C	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
Viscosity, kinematic	150 (1.99 – 847) mm²/s @40°C	
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil (64742-70-7)		
Viscosity, kinematic	19 mm²/s @40°C	
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)		
Viscosity, kinematic	1.99 – 847 mm²/s Temp.: '40°C	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

Not rapidly degradable				
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)				
LC50 - Fish [1]	> 100 mg/l Pimephales promelas			
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna			
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)			
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)			
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata (72h)			
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)				
LC50 - Fish [1]	4.5 mg/l Oncorhynchus mykiss (Rainbow trout)			
EC50 - Crustacea [1]	5.4 mg/l Daphnia magna (water flea) OECD Test Guideline 202			
EC50 96h - Algae [1]	2.1 mg/l Selenastrum capricornutum (green algae) OECD Test Guideline 201			
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)				
LC50 - Fish [1]	> 100 mg/l Pimephales promelas			
EC50 - Crustacea [1]	> 10000 Daphnia magna			
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)			
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)			
NOEC chronic algae	100 mg/l Pseudokirchneriella subcapitata (72h)			
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)				
LC50 - Fish [1]	> 100 mg/l Pimephales promelas			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna		
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)		
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)		
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata (72h)		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)			
LC50 - Fish [1]	> 100 mg/l Pimephales promelas		
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna		
NOEC chronic fish	> 1000 mg/l Oncorhynchus mykiss (14d)		
NOEC chronic crustacea	> 10 mg/l Daphnia magna (21d)		
NOEC chronic algae	> 100 mg/l Pseudokirchneriella subcapitata (72h)		
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)			
LC50 - Fish [1]	> 100 mg/l Pimephales promelas		
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna		
NOEC chronic fish	≥ 1000 mg/l Oncorhynchus mykiss		
NOEC chronic crustacea	10 mg/l Daphnia magna		
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata		

12.2. Persistence and degradability

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
Not readily biodegradable.			
< 60 % OECD 301F (28d)			
1-Decene,homopolymer,hydrogenated (68037-01-4)			
Not readily biodegradable.			
) bis dithiophosphate) (93819-94-4)			
Not readily biodegradable.			
1.5 % 28d - OECD 301 B			
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)			
31 %			
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)			
Not readily biodegradable.			
31 % 28 d OECD 301F			
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)			
31 % OECD 301F (28d)			
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)			
Not readily biodegradable.			
31 % OECD 301F			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Partition coefficient n-octanol/water (Log Pow) 3.9 – 6

Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)

Partition coefficient n-octanol/water (Log Pow) 0.9 @ 23°C

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)

Bioconcentration factor (BCF REACH) 260

12.4. Mobility in soil

Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)

Ecology - soil Adsorbs into the soil.

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Ecology - soil Adsorbs into the soil.

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)

Ecology - soil Adsorbs into the soil.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : HP5 "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the Canadian DSL (Domestic Substances List)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
	Flammability (solid, gas)	Added	
1.2	Function or use category	Added	
2.1	Adverse physicochemical, human health and environmental effects	Added	
3	Composition/information on ingredients	Modified	
4.1	First-aid measures after skin contact	Added	
4.1	First-aid measures after inhalation	Added	
4.1	First-aid measures after ingestion	Added	
4.1	First-aid measures after eye contact	Added	
4.3	Other medical advice or treatment	Added	
5.1	Suitable extinguishing media	Added	
5.2	Hazardous decomposition products in case of fire	Added	
5.3	Protection during firefighting	Added	
6.1	Protective equipment	Added	
6.1	Emergency procedures	Added	
6.2	Environmental precautions	Added	
6.3	Methods for cleaning up	Added	
6.3	Other information	Added	
6.4	Reference to other sections (8, 13)	Added	
7.1	Precautions for safe handling	Added	
7.1	Hygiene measures	Added	
7.2	Storage conditions	Added	
8.2	Environmental exposure controls	Added	
8.2	Respiratory protection	Added	
8.2	Hand protection	Added	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
8.2	Eye protection	Added	
8.2	Appropriate engineering controls	Added	
8.2	Skin and body protection	Added	
9.1	Density	Modified	
9.1	Freezing point	Modified	
9.1	Flash point	Modified	
9.1	Viscosity, kinematic	Modified	
10.1	Reactivity	Added	
10.2	Chemical stability	Added	
10.3	Possibility of hazardous reactions	Added	
10.4	Conditions to avoid	Added	
10.6	Hazardous decomposition products	Added	
12.1	Ecology - general	Added	
13.1	Waste treatment methods	Added	
15.2	Chemical safety assessment	Added	
16	Abbreviations and acronyms	Added	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

Safety Data Sheet (SDS), EU RYMAX 2023

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.