

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830 Issue date: 7/10/2012 Revision date: 6/1/2023 Supersedes version of: 10/14/2022 Version: 3.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	:	Mixture
Product name	:	LUB004021 - Rymax Motrax 2T
Product code	:	LUB004021

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Intended for general public Main use category Function or use category

: Industrial use, Professional use, Consumer use : Lubricants and additives

## 1.2.2. Uses advised against

No additional information available

## **1.3. Details of the supplier of the safety data sheet**

Rymax Lubricants B.V. Delweg, 8 NL– 6902 PJ Zevenaar – Netherlands Netherlands T tel: +31 (0) 316 740 856 info@rymax-lubricants.com - www.rymax-lubricants.com

## 1.4. Emergency telephone number

#### Emergency number

: +31 (0) 316 740 856

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

#### 2.3. Other hazards

Other hazards which do not result in classification

: Flammable liquids. Prolonged or repeated skin contact with the material will remove natural oils which leads to a dermatitis. Spills of this product present a serious slipping hazard.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

## Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≥ 75 – < 90	Not classified
Residual oils (petroleum), solvent-dewaxed substance with national workplace exposure limit(s) (NL)	CAS-No.: 64742-62-7 EC-No.: 265-166-0 EC Index-No.: 649-471-00-X REACH-no: 01-2119480472- 38	≥ 5 – < 10	Not classified
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics substance with national workplace exposure limit(s) (NL); substance with a Community workplace exposure limit	EC-No.: 926-141-6 REACH-no: 01-2119456620- 43	≥ 5 – < 10	Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

4.1. Description of first aid measures				
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water.</li> <li>Rinse eyes with water as a precaution.</li> <li>Call a poison center or a doctor if you feel unwell.</li> </ul>			
4.2. Most important symptoms and effects, both acute and delayed				
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	<ul> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> </ul>			

### 4.3. Indication of any immediate medical attention and special treatment needed

Ingestion of large quantities: immediately to hospital. Obtain medical assistance.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a water jet since it may cause the fire to spread.</li></ul>

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Precautionary measures fire Firefighting instructions Protection during firefighting	<ul> <li>Exercise caution when fighting any chemical fire.</li> <li>Use water spray or fog for cooling exposed containers.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>		

SECTION 6: Accidental release measures					
6.1. Personal precautions, protective equipment and emergency procedures					
6.1.1. For non-emergency personnel					
Protective equipment Emergency procedures	<ul><li>Wear suitable protective clothing and gloves.</li><li>Ventilate spillage area.</li></ul>				
6.1.2. For emergency responders					
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".				
6.2. Environmental precautions					
Avoid release to the environment.					
6.3. Methods and material for containment and cleaning up					
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.				
Methods for cleaning up	: Take up liquid spill into absorbent material.				

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Other information

For further information refer to section 13.

SECTION 7: Handling and stor	age		
7.1. Precautions for safe handling			
Precautions for safe handling	<ul> <li>Avoid contact with skin and eyes. Ensure good ventilation of the work station. Wear personal protective equipment.</li> </ul>		
Handling temperature	: ≤ 40 °C		
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Provide local exhaust or general room ventilation.		
Storage conditions	: Store in a well-ventilated place. Keep cool.		
Storage temperature	: ≤ 40 °C		
Storage area	: Store in a well-ventilated place. Store away from heat.		
Special rules on packaging	: Keep only in original container. Store in a closed container.		
7.3 Specific and use(s)			

7.3. Specific end use(s)

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA) [1] 5 mg/m <sup>3</sup>			

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

### Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

## 8.2.2.2. Skin protection

## Skin and body protection:

Wear suitable protective clothing

## Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	>0.35		EN ISO 374

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

## 8.2.2.3. Respiratory protection

### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

## 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

### Environmental exposure controls:

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

:	Liquid
:	red.
:	characteristic.
:	No data available
:	No data available
:	No data available
:	Not applicable
:	< -30 °C (ASTM D7346)
:	No data available
:	> 100 °C (ASTM D92)
:	No data available
:	No data available
:	Non flammable.
:	No data available
:	No data available
:	No data available
:	884.6 kg/m³ @ 15°C (ASTM D4052)
:	insoluble in water.
:	No data available
:	70 mm²/s @ 40°C (ASTM D7042)
:	No data available

## 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

cute toxicity (oran)       :       Not classified         cute toxicity (demai)       :       Not classified <b>tydrocarbons, C11-C14, n-alkanes, isoalka</b> LD50 oral (rat)       > 5000 mg/kg         LD50 dermal (rabbli)       > 5000 mg/kg         C50 inhalation (rat) (mg/l)       > 5000 mg/kg         LD50 oral (rat)       > 5000 mg/kg         D50 oral (rat)       > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test         D50 oral (rat)       > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test         D50 oral (rat)       > 5000 mg/kg 402 Acute Dermal Toxicity Test         D50 oral (rat)       > 5000 mg/kg 402 Acute Dermal Toxicity Test         D50 oral (rat)       > 5000 mg/kg 402 Acute Dermal Toxicity Test         D50 oral (rabbli)       > 5000 mg/kg 402 Acute Dermal Toxicity Test         D50 oral (rabbli)       > 5000 mg/kg 402 Acute Dermal Toxicity Test         D50 oral (rabbli)       > 5000 mg/kg 402 Acute Dermal Toxicity Test         D50 oral (rabbli)       > 10 classified         C50 inhalation (rat) (mg/l)       > 5.53 mg/kl 403 Acute Inhalation Toxicity Test         D50 oral (rabbli)       > 10 classified	SECTION 11: Toxicological information	n
cult toxicly (infinitation)       i: Not classified         Hydrocarbons, C11-C14, n-alkanes, isoalka=>> solo mg/kg         De50 oral (rat)       > 5000 mg/kg         L260 infiaition (rat) (mg/l)       > 5000 mg/kg         C360 infiaition (rat) (mg/l)       > 5000 mg/kg         C360 oral (rat)       > 5000 mg/kg         De50 oral (rat)       > 5000 mg/kg         D260 dermal (rat)       > 5000 mg/kg         D260 dermal (rat)       > 5000 mg/kg         D260 dermal (rat)       > 5000 mg/kg         D260 oral (rat)       > 5000 mg/kg do2/weight 401 Acute Oral Toxicity Test         D260 oral (rat)       > 5000 mg/kg do2/Acute Dermal Toxicity Test         D260 oral (rat)       > 5000 mg/kg do2/Acute Dermal Toxicity Test         D260 oral (rat)       > 5000 mg/kg do2/Acute Dermal Toxicity Test         D260 oral (rat)       > 5000 mg/kg do2/Acute Dermal Toxicity Test         D260 oral (rat)       > 5000 mg/kg do2/Acute Dermal Toxicity Test         D260 oral (rat)       > 5000 mg/kg do2/Acute Dermal Toxicity Test         L260 oral (rat)       > 5000 mg/kg do2/Acute Dermal Toxicity Test         L260 oral (rat)       > Kol classified     <	11.1 Information on toxicological effects	
DS0 oral (rat)         > 5000 mg/kg           DS0 oral (rat)         > 5000 mg/kg           C50 inhalation (rat) (mg/l)         > 5000 mg/kg           C50 oral (rat)         > 5000 mg/kg           DS0 oral (rat)         > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test           DS0 oral (rat)         > 5000 mg/kg 402 Acute Dermal Toxicity Test           DS0 oral (rat)         > 5000 mg/kg 402 Acute Dermal Toxicity Test           DS0 oral (rat)         > 5000 mg/kg 402 Acute Dermal Toxicity Test           DS0 oral (rat)         > 5000 mg/kg 402 Acute Dermal Toxicity Test           C50 inhalation (rat) (Dust/Mist - mg/k4h)         > 55.3 mg/k4h 403 Acute Inhalation Toxicity Test           Kin corrosion/irritation         : Not classified           erous sev damage/irritation         : Not classified           term sell mutagenicity         : Not classified           terot dessified         : Not classified <th>Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)</th> <th>: Not classified</th>	Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified
D50 dermal (rabbit)       > 5000 mg/kg         C50 inhalation (rat) (mgil)       > 5000 mg/m³ 8 Hrs         Residual oils (petroleum), solvent-dewaxed (57742-62-7)         D50 oral (rat)       > 5000 mg/kg         D1stillates (petroleum), hydrotreated heavy partfilic (64742-54-7)         D50 oral (rat)       > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test         D50 oral (rat)       > 5000 mg/kg d02 Acute Dermal Toxicity Test         D50 oral (rat)       > 2000 mg/kg 402 Acute Dermal Toxicity Test         D50 oral (rat)       > 5000 mg/l4h         C50 inhalation (rat) (mgil)       > 5000 mg/l4h         C50 inhalation (rat) (Dust/Mist - mgil/4h)       > 5.53 mg/l4h 403 Acute Inhalation Toxicity Test         Kin corrosion/irritation       : Not classified         reironseynd irritation       : Not classified         term cell mutagenicity       : Not classified         toTOT-single exposure       : Not classified         TOT-single exposure       : Not classified         D50 repeated exposure       : Not classified         D10T-single exposure       : Not classified         D10T-single exposure       : Not classified         D10T-single exposure       : Not classified         UDR04021 - Rymax Motrax 2T       : Not classified         Uscosity, kinematic       24 mm	Hydrocarbons, C11-C14, n-alkanes, isoalka	anes, cyclics, < 2% aromatics
C50 inhalation (rat) (mg/l)       > 5000 mg/m² 8 Hrs         Residual oils (petroleum), solvent-dewaxed (64742-62-7)         D50 oral (rat)       > 5000 mg/kg         Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)         D50 oral (rat)       > 5000 mg/kg dodyweight 401 Acute Oral Toxicity Test         D50 dermal (rat)       > 5000 mg/kg dod 2 Acute Dermal Toxicity Test         D50 dermal (rabit)       > 2000 mg/kg d02 Acute Dermal Toxicity Test         C50 inhalation (rat) (mg/l)       > 553 mg/l/4h 403 Acute Inhalation Toxicity Test         C50 inhalation (rat) (mg/l)       > 553 mg/l/4h 403 Acute Inhalation Toxicity Test         C50 inhalation (rat) (mg/l)       > 553 mg/l/4h 403 Acute Inhalation Toxicity Test         C50 inhalation (rat) (mg/l)       > 553 mg/l/4h 403 Acute Inhalation Toxicity Test         C50 inhalation (rat) (mg/l)       > 553 mg/l/4h 403 Acute Inhalation Toxicity Test         C50 inhalation (rat) (mg/l)       > 553 mg/l/4h 403 Acute Inhalation Toxicity Test         C50 inhalation (rat) (mg/l)       > Not classified         removel mudgenicity       : Not classified         tiarcinogenicity       : Not classified         TOT-rispe exposure       : Not classified         TOT-rispe exposure       : Not classified         Distillates (petroleum), hydrotreated heavy paraffilic (64742-54-7)         C0AEL (oral, rat,	LD50 oral (rat)	> 5000 mg/kg
Residual oils (petroleum), solvent-dewaxed (64742-62-7)         D50 oral (rat)       > 5000 mg/kg         Distillates (petroleum), hydrotreated heavy partfinic (64742-54-7)         D50 oral (rat)       > 5000 mg/kg dodyweight 401 Acute Oral Toxicity Test         D50 dramal (rabbit)       > 5000 mg/kg dodyweight 401 Acute Oral Toxicity Test         D50 dramal (rabbit)       > 5000 mg/kg 402 Acute Dermal Toxicity Test         C50 inhalation (rat) (mg/l)       > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test         C50 inhalation (rat) (bust/Mist - mg/l/4h)       > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test         Kin corrosion/irritation       Not classified         erious eye damage/irritation       Not classified         erious eye damage/irritation       Not classified         term cell mutagenicity       Not classified         corrosion/irritation       Not classified         tor classified       Not classified         TOT-riope exposure       Not classified         TOT-riope exposure       Not classified         Distillates (petroleum), hydrotreated heavy partific (64742-54-7)         .OACL assified       Not classified         Distillates (petroleum), hydrotreated heavy partific (64742-54-7)         .OACL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         <	LD50 dermal (rabbit)	> 5000 mg/kg
D50 oral (rat)         > 5000 mg/kg           D55 dermal (rat)         > 2000 mg/kg           D50 oral (rat)         > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test           D50 oral (rat)         > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test           D50 oral (rat)         > 2000 mg/kg 402 Acute Dermal Toxicity Test           D50 oral (rabit)         > 2000 mg/kg 402 Acute Dermal Toxicity Test           C50 inhalation (rat) (mg/l)         > 5000 mg/l4h           C50 inhalation (rat) (Dust/Mist - mg/l4h)         > 5.53 mg/l4h 403 Acute Inhalation Toxicity Test           Kin corrosion/irritation         : Not classified           elous eye damage/irritation         : Not classified           raricinogenicity         : Not classified           raricinogenicity         : Not classified           targenicity         : Not classified           TOT-single exposure         : Not classified           TOT-single exposure         : Not classified           CABL (oral, rat, 90 days)         125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408           Spiration hazard         : Not classified           LUB004021 - Rymax Motrax 2T         :           Viscosity, kinematic         2.4 mm²/s Temp: : 20°C' Parameter: 'kinematic viscosity (in mm²/s)'           Residual oils (petroleum), solvent-dewaxed $< 720$	LC50 inhalation (rat) (mg/l)	> 5000 mg/m³ 8 Hrs
D50 dermal (rat)       > 2000 mg/kg         Distillates (petroleum), hydrotreated heavy p=tFinic (64742-54-7)         D50 oral (rat)       > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test         D50 dermal (rabbit)       > 2000 mg/kg 402 Acute Dermal Toxicity Test         D50 inhalation (rat) (mg/l)       > 5000 mg/kg 402 Acute Dermal Toxicity Test         LC50 inhalation (rat) (mg/l)       > 5000 mg/kg 403 Acute Inhalation Toxicity Test         LC50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test         Kin corrosion/irritation       Not classified         etorus eye damage/irritation       Not classified         ierm cell mutagenicity       Not classified         ierm cell mutagenicity       Not classified         toToT-single exposure       Not classified         toToT-repeated exposure       Not classified         DDistillates (petroleum), hydrotreated heavy p=tfinic (64742-54-7)         CAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         spiration hazard       Not classified         LUBOU4021 - Rymax Motrax 2T       Viscosity, kinematic         Viscosity, kinematic       2 mm²/s @u^C (ASTM D7042)         Hydrocarbons, C11-C14, n-alkanes, isoalka=       2/4 mm²/s Temp: 20°C' Parameter: "kinematic viscosity (in mm²/s)'	Residual oils (petroleum), solvent-dewaxe	d (64742-62-7)
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)         D50 oral (rat)       > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test         D50 dermal (rabbit)       > 2000 mg/kg 402 Acute Dermal Toxicity Test         D50 oral (rat)       > 5000 mg/l/4h         C50 inhalation (rat) (mg/l)       > 5000 mg/l/4h         C50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test         Kin corrosion/irritation       : Not classified         erious eye damage/irritation       : Not classified         eerious eye damage/irritation       : Not classified         ieerin cell mutagenicity       : Not classified         ierin cell mutagenicity       : Not classified         tarcinogenicity       : Not classified         TOT-single exposure       : Not classified         TOT-repeated exposure       : Not classified         Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         spiration hazard       : Not classified         LUB004021 - Rymax Motrax 2T       //scosity, kinematic         Viscosity, kinematic       24 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'         Residual oils (petroleum), solvent-dewaxed (64742-62.7)       //	LD50 oral (rat)	> 5000 mg/kg
D50 oral (rat)       > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test         D50 dermal (rabbit)       > 2000 mg/kg 402 Acute Dermal Toxicity Test         LC50 inhalation (rat) (mg/l)       > 5000 mg/l/4h         C50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test         LC50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test         kin corrosion/irritation       : Not classified         teopious eve damage/irritation       : Not classified         teopious eve damage/irritation       : Not classified         teoproductive toxicity       : Not classified         teoproductive toxicity       : Not classified         TOT-single exposure       : Not classified         Distillates (petroleum), hydrotreated heavy partifinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         spiration hazard       : Not classified         LUB004021 - Rymax Motrax 2T       //scosity, kinematic         Viscosity, kinematic       70 mm²/s @ 40°C (ASTM D7042)         Hydrocarbons, C11-C14, n-alkanes, isoalkazu-       cyclics, < 2% aromatics	LD50 dermal (rat)	> 2000 mg/kg
D50 dermal (rabbit)     > 2000 mg/kg 402 Acute Dermal Toxicity Test       LC50 inhalation (rat) (mg/l)     > 5000 mg/l/4h       LC50 inhalation (rat) (mg/l)     > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test       LC50 inhalation (rat) (Dust/Mist - mg/l/4h)     > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test       LC50 inhalation (rat) (Dust/Mist - mg/l/4h)     > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test       LC50 inhalation (rat) (Dust/Mist - mg/l/4h)     > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test       LC50 inhalation (rat) (Dust/Mist - mg/l/4h)     > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test       LC50 inhalation (rat) (Dust/Mist - mg/l/4h)     > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test       LC50 inhalation (rat) (Dust/Mist - mg/l/4h)     > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test       LC50 inhalation (rat) (Dust/Mist - mg/l/4h)     > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test       LC50 inhalation (rat) (mg/l)     > Not classified       Leproductive toxicity     : Not classified       LC50 Tor-single exposure     : Not classified       LC50 Inhalation hazard     : Not classified       LUB004021 - Rymax Motrax 2T	Distillates (petroleum), hydrotreated heavy	/ paraffinic (64742-54-7)
C50 inhalation (rat) (mg/l)       > 5000 mg/l/4h         C50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test         kin corrosion/irritation       : Not classified         erous eye damage/irritation       : Not classified         tespiratory or skin sensitisation       : Not classified         terroductive toxicity       : Not classified         toTOT-single exposure       : Not classified         TOT-single exposure       : Not classified         toToT-single exposure       : Not classified         Distillates (petroleum), hydrotreated heavy p==#finic (64742-54-7)	LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test
C50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test         C50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test         kin corrosion/irritation       : Not classified         reious eye damage/irritation       : Not classified         tespiratory or skin sensitisation       : Not classified         teproductive toxicity       : Not classified         toTOT-single exposure       : Not classified         TOT-repeated exposure       : Not classified         Distillates (petroleum), hydrotreated heavy partifinic (64742-54-7)	LD50 dermal (rabbit)	> 2000 mg/kg 402 Acute Dermal Toxicity Test
kin corrosion/irritation       : Not classified         ierious eye damage/irritation       : Not classified         iespiratory or skin sensitisation       : Not classified         ieerm cell mutagenicity       : Not classified         ierm cell mutagenicity       : Not classified         icronspectation       : Not classified         icron-spectad exposure       : Not	LC50 inhalation (rat) (mg/l)	> 5000 mg/l/4h
erious eye damage/irritation       :       Not classified         tespiratory or skin sensitisation       :       Not classified         term cell mutagenicity       :       Not classified         tarcinogenicity       :       Not classified         teproductive toxicity       :       Not classified         TOT-single exposure       :       Not classified         TOT-repeated exposure       :       Not classified         Distillates (petroleum), hydrotreated heavy       :       Not classified         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         spiration hazard       :       Not classified         LUB004021 - Rymax Motrax 2T       :       Not classified         viscosity, kinematic       :       10 mm²/s @ 40°C (ASTM D7042)         Hydrocarbons, C11-C14, n-alkanes, isoalkares       :       :         viscosity, kinematic       :       2.4 mm²/s @40°C         Residual oils (petroleum), solvent-dewaxeed       :       :         Viscosity, kinematic       :       :         Viscosity, kinematic       :       :         Viscosity, kinematic       :       :         Viscosity, kinematic       :       :	LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test
tespiratory or skin sensitisation       : Not classified         term cell mutagenicity       : Not classified         terproductive toxicity       : Not classified         tepproductive toxicity       : Not classified         TOT-single exposure       : Not classified         TOT-repeated exposure       : Not classified         Distillates (petroleum), hydrotreated heavy partificit (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         spiration hazard       : Not classified         LUB004021 - Rymax Motrax 2T       Vis classified         Viscosity, kinematic       70 mm²/s @ 40°C (ASTM D7042)         Hydrocarbons, C11-C14, n-alkanes, isoalkaws, scyclics, < 2% aromatics	Skin corrosion/irritation	: Not classified
Aerm cell mutagenicity       :       Not classified         tarcinogenicity       :       Not classified         teproductive toxicity       :       Not classified         TOT-single exposure       :       Not classified         TOT-repeated exposure       :       Not classified         Distillates (petroleum), hydrotreated heavy       =================         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         spiration hazard       :       Not classified         LUB004021 - Rymax Motrax 2T       :       Not classified         Viscosity, kinematic       70 mm²/s @ 40°C (ASTM D7042)         Hydrocarbons, C11-C14, n-alkanes, isoalkazes, cyclics, < 2% aromatics	Serious eye damage/irritation	: Not classified
carcinogenicity       : Not classified         teproductive toxicity       : Not classified         TOT-single exposure       : Not classified         TOT-repeated exposure       : Not classified         Distillates (petroleum), hydrotreated heavy partfinic (64742-54-7)         COAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         spiration hazard       : Not classified         LUB004021 - Rymax Motrax 2T       Viscosity, kinematic         Viscosity, kinematic       70 mm²/s @ 40°C (ASTM D7042)         Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Respiratory or skin sensitisation	: Not classified
leproductive toxicity       : Not classified         TOT-single exposure       : Not classified         Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         sipiration hazard       : Not classified         LUB004021 - Rymax Motrax 2T       Viscosity, kinematic         Viscosity, kinematic       70 mm²/s @ 40°C (ASTM D7042)         Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Germ cell mutagenicity	: Not classified
TOT-single exposure       : Not classified         TOT-repeated exposure       : Not classified         Distillates (petroleum), hydrotreated heavy ====================================	Carcinogenicity	: Not classified
TOT-single exposure       : Not classified         TOT-repeated exposure       : Not classified         Distillates (petroleum), hydrotreated heavy ====================================	Reproductive toxicity	: Not classified
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         spiration hazard       Not classified         LUB004021 - Rymax Motrax 2T       Viscosity, kinematic         Viscosity, kinematic       70 mm²/s @ 40°C (ASTM D7042)         Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	STOT-single exposure	: Not classified
Local (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         sispiration hazard       : Not classified         LUB004021 - Rymax Motrax 2T       70 mm²/s @ 40°C (ASTM D7042)         Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	STOT-repeated exposure	: Not classified
Image: spiration hazard       : Not classified         LUB004021 - Rymax Motrax 2T       70 mm²/s @ 40°C (ASTM D7042)         Viscosity, kinematic       70 mm²/s @ 40°C (ASTM D7042)         Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Distillates (petroleum), hydrotreated heavy	/ paraffinic (64742-54-7)
LUB004021 - Rymax Motrax 2T         Viscosity, kinematic       70 mm²/s @ 40°C (ASTM D7042)         Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408
Viscosity, kinematic       70 mm²/s @ 40°C (ASTM D7042)         Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Aspiration hazard	: Not classified
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	LUB004021 - Rymax Motrax 2T	
Viscosity, kinematic       2.4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'         Residual oils (petroleum), solvent-dewaxed (64742-62-7)         Viscosity, kinematic       490 mm²/s @40°C         Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	Viscosity, kinematic	70 mm²/s @ 40°C (ASTM D7042)
Residual oils (petroleum), solvent-dewaxed (64742-62-7)         Viscosity, kinematic       490 mm²/s @40°C         Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	Hydrocarbons, C11-C14, n-alkanes, isoalka	anes, cyclics, < 2% aromatics
Viscosity, kinematic     490 mm²/s @40°C       Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	Viscosity, kinematic	2.4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	Residual oils (petroleum), solvent-dewaxe	d (64742-62-7)
	Viscosity, kinematic	490 mm²/s @40°C
/iscosity, kinematic 98 (98 – 108) mm²/s @40°C	Distillates (petroleum), hydrotreated heavy	/ paraffinic (64742-54-7)
	Viscosity, kinematic	98 (98 – 108) mm²/s @40°C

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

## SECTION 12: Ecological information

## 12.1. Toxicity

 Ecology - general
 : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

 Hazardous to the aquatic environment, short-term (acute)
 : Not classified

 Hazardous to the aquatic environment, long-term (chronic)
 : Not classified

 Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics</td>

LC50 - Fish [1]	> 1000 mg/l Oncorhynchus mykiss	
EC50 - Crustacea [1]	> 1000 mg/l Daphnia magna	
EC50 72h - Algae [1]	> 1000 mg/l Pseudokirchneriella subcapitata	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LC50 - Fish [1]	> 100 mg/l Pimephales promelas	
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna	
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)	
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)	
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata (72h)	

## 12.2. Persistence and degradability

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
Biodegradation 69 % (28d OECD 301F		
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	< 60 % OECD 301F (28d)	

## 12.3. Bioaccumulative potential

Residual oils (petroleum), solvent-dewaxed (64742-62-7)		
Partition coefficient n-octanol/water (Log Pow)	> 3.5	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Partition coefficient n-octanol/water (Log Pow) 3.9 – 6		

### 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Product/Packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippir	ig name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental ha	zards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

## 14.6. Special precautions for user

Overland transport Not regulated

Transport by sea Not regulated

Air transport Not regulated

Inland waterway transport Not regulated

Rail transport

Not regulated

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

## REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

## Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
9.1	Density	Modified	
9.1	Freezing point	Modified	
9.1	Viscosity, kinematic	Modified	
13.1	Waste disposal recommendations	Modified	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Abbreviations and	acronyms:
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Asp. Tox. 1	Aspiration hazard, Category 1
H304	May be fatal if swallowed and enters airways.

Safety Data Sheet (SDS), EU RYMAX 2023

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.